



D30 THELAB 7-8 COMMERCE WAY CROYDON CR0 4XA

D30 uses a combination of patented, patent-pending and proprietary technologies to make rate sensitive, soft, flexible materials with high shock absorbing properties.

Our extensive material portfolio is compatible with many different production processes, with each material grade formulated and tuned to deliver specific performance properties.

Our current materials portfolio falls into four groups: Set Foams (Sf), Formable Foams (Ff), Set Elastomers (Se) and Formable Elastomers (Fe).

The D3O® Formable Foam portfolio includes D3O® LITE and offers lightweight, comfortable and temperature stable cushioning and protection.

The added benefit of D3O[®] Formable Foam is that the shape of the material can be re-shaped to offer a versatile solution for a wide range of applications. Ideal for lower impact energies.

D3O[®] Formable Foams

Code name	Synonym	Density	Hardness	Tensile strength	Elongation at break	Split tear strenth	Compressive strength	Flexural modulus	Tensile modulus	Deceleration 4.5 J	Compression set	Water absorbency	Impact protection
FF006	LITE Low	120	32	1.4	189.1	0.6	195	1.4	5.7	n/a	31.5	14	32
FF007	LITE Mid	220	55	1.9	212	1.6	385	3.1	1.5	n/a	12.8	4	12
FF008	LITE High	300	65	2.2	195.7	n/a	613	5.7	3.2	49.2	13	3	4.8
FF009	LITE Orange	130	34	1.4	159.4	1.8	265	1.6	4.7	33.1	n/a	n/a	29
Method reference*		ISO 845: 2009	ASTM D2240 - 05 (2010)	ISO 1798:2008	ISO 1798:2008	SATRA TM65	ASTM D3575- 14D	DTS052	DTS061	DTS002	DTS005	DTS028	EN 1621-1 (2.5kg, 10 J)
		kg/m3	Asker C	N/mm2	%	N/mm	kPa	MPa	MPa	g	%	%	kN

©2020 Design Blue Limited. All rights reserved.

vezuzi useign sine Limited. All rights reserved.
For full details including material properties and product tolerances, please request SOQ document from D3O representative. The information provided is not intended to and does not create any warranties, expressed or implied, including any warranty of merchantability of fitness for a particular purpose. In accordance with the Company's policy of continuous improvement, D3O reserves the right to apply such improvements to its products and materials without notice. This data sheet shall not be reproduced or amended without the written consent of Design Blue Limited.

*Values shown represent typical product characteristics



